

1800, 2050, 2200 Offshore Series



The big, beamy Offshore models with their optional center console steering and roomy interior make an ideal craft for fishing on lakes, coastal and open waters. Like all Lifetimer boats, they are built to move fast and safely in the most adverse of weather and water conditions. Our tapered delta-planing hulls with reverse chines and sharp, deep bow entry are one of the driest, safest and most seaworthy boats on the market today.

Make this boating season the best ever.... own the boat of a lifetime.

#1 - 2905 Allenby Road, Duncan, B.C. V9L 6W2 Phone: 250-748-2187 Fax: 250-748-7131 Email: info@lifetimer.bc.ca Website: www.lifetimerboats.com

Hoods

Offshore Series

-		1800	2050	2200
		Offshore	Offshore	Offshore
SPECIFICATIONS	Length Overall (including contoured outboard bracket)	18' 0"	20' 6"	22' 0"
	Width Overall	94"	96"	98"
	Side Height	37"	41"	41"
	Bottom Plate	1/4" 5086	1/4" 5086	1/4" 5086
	Side Plate	1/8" 5052	1/8" 5052	1/8" 5052
	Maximum HP	115 HP	150 HP	225 HP
	Capacity	6 Person	8 Person	8 Person
DESIGN	Deadrise: Variable pitch; transom has a delta with 18 degree up and a 20 degree reverse chine; 55 degree sharp bow entry for a dry, smooth ride in rough water or chop (many other aluminum boats have a 12 degree constant deadrise making them good for lakes or rivers but rough riding and wet for ocean use)	STD	STD	STD
	Lifetimer builds to International Standards Organization (ISO) Design Category "C", Beaufort 6 (2m or 72" wave height, 25-31MPH strong breeze conditions; coastal waters, large bays, estuaries, lakes & rivers) (Many other welded aluminum boats are built to - ISO Design Category "D", Beaufort 4 - 0.5m or 19" wave height, 13-18MPH moderate breeze conditions; sheltered waters, small bays, estuaries, lakes, rivers & canals)	STD	STD	STD
	ABYC approved tinned Ancor wire & electrical fittings	STD	STD	STD
	Lifetimer heavy duty gunwale & chine extrusions	STD	STD	STD
	4" reverse chines	STD	STD	STD
	Modified "V" shape hull	STD	STD	STD
	Contoured outboard bracket	STD	STD	STD
	Foredeck & Inner truss style railings	STD	STD	STD
	Lifetimer heavy duty welded bow eye & two (2) stern eyes	STD	STD	STD
	Three (3) 8" heavy duty weld on aluminum cleats	STD	STD	STD
_i	Marine vinyl flooring	STD	STD	STD
HULL	Transducer bracket with built in wiring chase to inner transom	STD	STD	STD
그1	Zinc Anode protection	STD	STD	STD
	Blue Sea Systems battery switch	STD	STD	STD
	Combination bow light and all round light	STD	STD	STD
	30 US Gallon (25 Imp Gal- 113 L) ABYC approved cross-linked roto-molded poly, built in fuel tank c/w Racor filter, fill, vent, sender & Faria fuel gauge	STD	STD	N/A
	40 US Gallon (33 Imp Gal- 151 L) ABYC approved cross-linked roto-molded poly, built in fuel tank c/w Racor filter, fill, vent, sender & Faria fuel gauge	N/A	UPGRADE OPTION	STD
	Flotation to Transport Canada TP1332 Requirements	Upright Level	Upright Level	Upright Level
COCKPIT	Center console (small) c/w Rotech steering, windshield & grab rail (26"W x 14" x 35"H)	STD	STD	STD

Optional Accessories

	000 1				
HULL		Lifetimer heavy duty kicker bracket			
		Aluminum bow railings			
		Step foredeck with lift up lid/center storage			
		Large bow cover and lockup front cabinet			
COCKPIT	301 - B	Upgrade: Center console (large) c/w Rotech steering, windshield & grab rail (32"W x 14" x 35"H)			
	301 - C	slip paint			
	301 - D	Rod pockets with open top, pair			
	301 - E	Rod pockets with lockable top, pair			
	301 - F	Locking rear doors on transom c/w Perko locking T-handle (N/A with sun seat option)			
	301 - G	Walkthrough transom door			
	301 - H	Downrigger pads, each			
	301 - I	Electric downrigger sockets, under coaming maxi fused to battery, pair (one per side)			
	302 - A	Lifetimer aluminum seat box with side loading storage & Locking Perko T-handle (16"L x 16"H x 16"W) - no upholstery			
	302 - B	Lifetimer aluminum seat box with side loading storage & Locking Perko T-handle (26"L x 18"H x 16"W) - no upholstery			
	302 - C	Lifetimer 26" upholstered double seat- (uses Lifetimer aluminum seat box with side loading storage & Locking Perko T-handle - sold separately)			
TOPS	302 - D	Lifetimer 32" upholstered double seat- (uses Lifetimer aluminum seat box with side loading storage & Locking Perko T-handle - sold separately)			
% TO	302 - E	Lifetimer 26" Flip-flop double seat with removable upholstery and storage box			
S	302 - F	Lifetimer 32" Flip-flop double seat with removable upholstery and storage box			
SEATS	302 - G	Tempress Quick Disconnect seat with grey removable cushions c/w swivel			
SE	302 - H	Bently Highlaker II- large, no arms (usesLifetimer aluminum seat box with side loading storage & Locking Perko T-handle - sold separately)			
	302 - 1	Lifetimer aluminum sun seat across inner transom of boat, incl. seat base & transom access w/two (2) gas shocks (no upholstery- sold separately)			
	302 - J	Lifetimer upholstery for sun seat, incl. seat base, back & side rests			
	302 - K	Fabric Bimini top			
	302 - L	Aluminum Bimini top			
	303 - A	40 US Gallon (33 Imp Gal- 151 L) ABYC approved cross-linked roto-molded poly, built in fuel tank c/w Racor filter, fill, vent, sender & Faria fuel gauge			
	303 - B	Upgrade steering to UFLEX SeaStar hydraulic steering- single station, single engine			
	303 - C	Blue Sea Systems six position waterproof switch panel			
EQUIPMENT	303 - D	1500 GPH Rule bilge pump c/w Rule automatic float switch			
	303 - E	Marinco Receptacle Combo USB & 12V socket at helm			
	303 - F	INSTA-TRIM hydraulic trim tabs, 12" x 8" c/w rocker switch			
	303 - H	Compass, Ritchie B-51			
	303 - I	Lifetimer two step aluminum fold down ladder & handrail on transom			
	303 - J	Garelick removable spline style dive ladder with single attachment & handrail on transom			
	303 - K	Additional brackets and mounting pads for Garelick dive ladder			
		Interior Paint			
	303 - M	Exterior Paint			
0 T.D	D = Standard Feature N/A = Not Applicable POR = Priced on Request				

STD = Standard Feature N/A = Not Applicable POR = Priced on Request