

# LIFETIMER

# Boats

## Runabout , Weathermaster Series



These boats offer the extra comfort to make boating fun for the whole family. Fast, safe and easy to operate, the "1800 & 2050 Runabout" and "2200 Weathermaster" are great multi-purpose craft that will provide years of enjoyment for you and the kids. The 2200 has the option to have a fully lockable v-berth that makes this model excellent for a day outing, fishing, family excursions or cozy anchoring in secluded bays. Our tapered delta-planing hull with reverse chines and sharp bow entry make these vessels one of the driest, safest and most seaworthy boats on the market today.

Make this boating season the best ever.... own the boat of a lifetime.

#1 - 2905 Allenby Road, Duncan, B.C. V9L 6W2 Phone: 250-748-2187 Fax: 250-748-7131  
Email: [info@lifetimer.bc.ca](mailto:info@lifetimer.bc.ca) Website: [www.lifetimerboats.com](http://www.lifetimerboats.com)

# LIFETIMER

## Boats

## Runabout & Weathermaster Series

1800 Runabout    2050 Runabout    2200 WM

		1800 Runabout	2050 Runabout	2200 WM
<b>SPECIFICATIONS</b>	Length Overall (including contoured outboard bracket)	18' 0"	20' 6"	22' 0"
	Width Overall	96"	102"	102"
	Headroom	65"	68"	72"
	Side Height	37"	40"	40"
	Bottom Plate	1/4" 5086	1/4" 5086	1/4" 5086
	Side Plate	1/8" 5052	1/8" 5052	1/8" 5052
	Hull Weight			
	Maximum HP	115 HP	150 HP	225 HP
	Capacity	6 Person	8 Person	8 Person
<b>DESIGN</b>	Deadrise: Variable pitch; transom has a delta with 18 degree up and a 20 degree reverse chine; 55 degree sharp bow entry for a dry, smooth ride in rough water or chop (many other aluminum boats have a 12 degree constant deadrise making them good for lakes or rivers but rough riding and wet for ocean use)	STD	STD	STD
	Lifetimer builds to International Standards Organization (ISO) Design Category "C", Beaufort 6 (2m or 72" wave height, 25-31 MPH strong breeze conditions; coastal waters, large bays, estuaries, lakes & rivers) (Many other welded aluminum boats are built to - ISO Design Category "D", Beaufort 4 - 0.5m or 19" wave height, 13-18MPH moderate breeze conditions; sheltered waters, small bays, estuaries, lakes, rivers & canals)	STD	STD	STD
<b>HULL</b>	Modified "V" shape hull	STD	STD	STD
	Contoured outboard bracket	STD	STD	STD
	4" reverse chines	STD	STD	STD
	Lifetimer heavy duty gunwale & chine extrusions	STD	STD	STD
	ABYC approved tinned Ancor wire & electrical fittings	STD	STD	STD
	Foredeck & Coaming	STD	STD	STD
	Lifetimer heavy duty welded bow eye & two (2) stern eyes	STD	STD	STD
	Five (5) 8" heavy duty weld on aluminum cleats	STD	STD	STD
	Transducer bracket with built in wiring chase to inner transom	STD	STD	STD
	Zinc Anode protection	STD	STD	STD
	Flotation to Transport Canada TP1332 Requirements	Upright Level	Upright Level	Upright Level
<b>EQUIPMENT</b>	34 US Gallon (28 Imp Gal- 127 L) ABYC approved cross-linked roto-molded poly, built in fuel tank c/w Racor filter, fill, vent, sender & Faria fuel gauge	STD	N/A	N/A
	40 US Gallon (33 Imp Gal- 151 L) ABYC approved cross-linked roto-molded poly, built in fuel tank c/w Racor filter, fill, vent, sender & Faria fuel gauge	Upgrade option	STD	STD
	Lifetimer five (5) piece windshield with 1/4" safety glass	STD	STD	STD
	Single S.S. Ongaro windshield wiper	STD	STD	STD
	Rotech planetary style steering system with Ultraflex wheel	STD	STD	STD
	Marine vinyl flooring	STD	STD	STD
	Blue Sea Systems 6 circuit waterproof breaker panel	STD	STD	STD
	Hella port & starboard running lights and all around light	STD	STD	STD
	Blue Sea Systems battery switch	STD	STD	STD

## Optional Accessories

HULL	400 - A	Lifetimer heavy duty kicker bracket
	400 - B	Aluminum bow railings
	400 - C	Sport model removable tow post
	400 - D	Walkthrough windshield
COCKPIT	401 - A	Aluminum bulkhead to bow c/w aluminum door and lockable Perko T-handle
	401 - B	Cuddy berth c/w bulkhead w/weather resistant lockable door, Reflectix insulation, cuddy fuzz hull liner, two dome lights, bunk cushions & porta potti
	401 - C	Aluminum self bailing deck (3/16" plate) c/w two (2) 2" drains (self drains overboard at rest) with Ferrcon non-slip paint
	401 - D	Rod pockets with open top, pair
	401 - E	Rod pockets with lockable top, pair
	401 - F	Locking rear doors on transom c/w Perko locking T-handle (N/A with sun seat option)
	401 - G	Walkthrough transom door
	401 - H	Downrigger pads, each
	401 - I	Electric downrigger sockets, under coaming maxi fused to battery, pair (one per side)
SEATS & TOPS	402 - A	Lifetimer aluminum seat box with side loading storage & Locking Perko T-handle (16"L x 16"H x 16"W) - no upholstery
	402 - B	Lifetimer aluminum seat box with side loading storage & Locking Perko T-handle (26"L x 18"H x 16"W) - no upholstery
	402 - C	Garelick seat slider for pilot seat - (Seat sold separately)
	402 - D	Bentley Highlaker II- large, no arms (uses Lifetimer aluminum seat box with side loading storage & Locking Perko T-handle- sold separately)
	402 - E	Bentley Highlaker II - With arms, large (used Lifetimer aluminum seat box with side loading storage & Locking Perko T-handle- sold separately)
	402 - F	Lifetimer aluminum sun seat across inner transom of boat, incl. seat base & transom access w/two (2) gas shocks (no upholstery- sold separately)
	402 - G	Lifetimer upholstery for sun seat, incl. seat base, back & side rests
	402 - H	Wise stationary back to back sleeper seat, large- each
	402 - I	Canvas front top with side curtains
	402 - J	Canvas drop curtain with roll up door (attaches to above front top option)
	402 - K	Canvas sloped back top (cockpit storage cover)
	402 - L	Canvas camper back top (attaches to front top option)
EQUIPMENT	403 - A	40 US Gallon (33 Imp Gal- 151 L) ABYC approved cross-linked roto-molded poly, built in fuel tank c/w Racor filter, fill, vent, sender & Faria fuel gauge
	403 - B	Upgrade steering to UFLEX SeaStar hydraulic steering- single station, single engine
	403 - C	Upgrade steering to UFLEX SeaStar hydraulic steering- single station, dual engines
	403 - D	Additional Blue Sea Systems six position waterproof switch panel
	403 - E	1500 GPH Rule bilge pump c/w Rule automatic float switch
	403 - F	Marinco Receptacle Combo USB & 12V socket at helm
	403 - G	INSTA-TRIM hydraulic trim tabs, 12" x 8" c/w rocker switch
	403 - H	Compass, Ritchie B-51
	403 - I	Lifetimer two step aluminum fold down ladder & handrail on transom
	403 - J	Garelick removable spline style dive ladder with single attachment & handrail on transom
	403 - K	Additional brackets and mounting pads for Garelick dive ladder
	403 - L	Anchor locker in bow c/w bollard (replaces cleat) & Lifetimer bow roller
	403 - M	9lb Danforth anchor, 25' of 5/16" anchor chain & 200' of 1/2" anchor line
	403 - N	Interior Paint
	403 - O	Exterior Paint

STD = Standard Feature    N/A = Not Applicable    POR = Priced on Request

*Please note all prices are subject to change*