

LIFETIMER

Boats

2050 & 2200 Limited Edition



The Lifetimer LE is an excellent day or weekend getaway boat for all of your pleasure needs. The LE model, over our regular runabout models, is a sportier model. Sleek in design, the LE is an eye-catching cruiser great for all your pleasure activities. In the 2050, the cuddy berth is optional, whereas the 2200 has a fully lockable v-berth that makes this model excellent for a day outing, fishing, family excursions or cozy anchoring in secluded bays. It is also excellent for water sports such as skiing, tubing, or wake-boarding. This boat, with our tapered delta-planning hull with reverse chines and sharp bow entry is among the driest, safest and most seaworthy boats on the market today.

Make this boating season the best ever.... own the boat of a lifetime.

#1 - 2905 Allenby Road, Duncan, B.C. V9L 6W2 Phone: 250-748-2187 Fax: 250-748-7131
Email: info@lifetimer.bc.ca Website: www.lifetimerboats.com

LIFETIMER

Boats

Limited Edition Series

2050

2200

		2050	2200
SPECIFICATIONS	Length Overall (including contoured outboard bracket)	20' 6"	22' 0"
	Width Overall	8' 0"	8' 2"
	Side Height	37"	42"
	Bottom Plate	1/4" 5086	1/4" 5086
	Side Plate	1/8" 5052	1/8" 5052
	Maximum HP	150 HP*	225 HP*
	Capacity	8 Person	8 Person
DESIGN	Deadrise: Variable pitch; transom has a delta with 18 degree up and a 20 degree reverse chine; 55 degree sharp bow entry for a dry, smooth ride in rough water or chop (many other aluminum boats have a 12 degree constant deadrise making them good for lakes or rivers but rough riding and wet for ocean use)	STD	STD
	Lifetimer builds to International Standards Organization (ISO) Design Category "C", Beaufort 6 (2m or 72" wave height, 25-31 MPH strong breeze conditions; coastal waters, large bays, estuaries, lakes & rivers) (Many other welded aluminum boats are built to - ISO Design Category "D", Beaufort 4 - 0.5m or 19" wave height, 13-18MPH moderate breeze conditions; sheltered waters, small bays, estuaries, lakes, rivers & canals)	STD	STD
HULL	Modified "V" shape hull	STD	STD
	Contoured outboard bracket	STD	STD
	4" reverse chines	STD	STD
	Lifetimer heavy duty gunwale & chine extrusions	STD	STD
	ABYC approved tinned Ancor wire & electrical fittings	STD	STD
	Foredeck & Coaming	STD	STD
	Lifetimer heavy duty welded bow eye & two (2) stern eyes	STD	STD
	Five (5) 8" S.S. Fold-down Cleats	STD	STD
	Transducer bracket with built in wiring chase to inner transom	STD	STD
	Zinc Anode protection	STD	STD
	Flotation to Transport Canada TP1332 Requirements	Upright Level	Upright Level
EQUIPMENT	40 US Gallon (33 Imp Gal- 151 L) ABYC approved cross-linked roto-molded poly, built in fuel tank c/w Racor filter, fill, vent, sender & Faria fuel gauge	STD	N/A
	60 US Gallon (50 Imp Gal- 272 L) ABYC approved cross-linked roto-molded poly, built in fuel tank c/w Racor filter, fill, vent, sender & Faria fuel gauge	N/A	STD
	Blue Sea Systems battery switch	STD	STD
	Taylormade windswept low profile walk thru windshield	STD	STD
	Single S.S. Ongaro windshield wiper	STD	STD
	Rotech planetary style steering system with Ultraflex wheel	STD	STD
	Cuddy berth c/w bulkhead with weather-resistant lockable door, R12 reflectix insulation, cuddy fuzz hull liner, two (2) dome lights & bunk cushions	Optional	7' 0" W x 6' 6" L
	Marine vinyl flooring	STD	STD
	Blue Sea Systems 6 circuit waterproof breaker panel	STD	STD
Perko low profile port & starboard running lights; all around light	STD	STD	

* High Performance power options available on request

Optional Accessories

HULL	500 - A	Lifetimer heavy duty kicker bracket
	500 - B	Sport model removable tow post
	500 - C	Aluminum low profile bow deck rails
	500 - D	Two (2) Vetus port lights, port and starboard
COCKPIT	501 - A	Aluminum self bailing deck (3/16" plate) c/w two (2) 2" drains (self drains overboard at rest) with Ferrcon non-slip paint
	501 - B	Rod pockets with open top, pair
	501 - C	Rod pockets with lockable top, pair
	501 - D	Locking rear doors on transom c/w Perko locking T-handle (N/A with sun seat option)
	501 - E	Walkthrough transom door
	501 - F	Downrigger pads, each
	501 - G	Electric downrigger sockets, under coaming maxi fused to battery, pair (one per side)
CUDDY	502 - A	Cuddy berth c/w bulkhead w/weather resistant lockable door, Reflectix insulation, cuddy fuzz hull liner, two dome lights, bunk cushions & porta potti
	502 - B	Aluminum 9" wide shelves in cuddy, one per side, mounted just below cuddy roof with wood trim- each
	502 - C	Lewmar 18" round deck hatch
	502 - D	Trim kit with screen for Lewmar cuddy hatch (367618252)
	502 - E	Raritan PHII compact head installed in cuddy (center) c/w ball valves on water intake & outlet, 10 gallon holding tank, waste deck fitting and macerator pump
SEATS & TOPS	503 - A	Lifetimer aluminum seat box with side loading storage & Locking Perko T-handle (16"L x 16"H x 16"W) - no upholstery
	503 - B	Bently Highlaker II- large, no arms (uses Lifetimer aluminum seat box with side loading storage & Locking Perko T-handle - sold separately)
	503 - C	Garelick seat slider for pilot seat -Pilot seat & mount or box (noted above) not included
	503 - D	Lifetimer aluminum sun seat across inner transom of boat, incl. seat base & transom access w/two (2) gas shocks (no upholstery- sold separately)
	503 - E	Lifetimer upholstery for sun seat, incl. seat base, back & side rests (pricing starting at)
	503 - F	Wise stationary back to back sleeper seat, large- each
	503 - G	Canvas Bimini top on collapsible stainless steel frame
EQUIPMENT	504 - A	Upgrade steering to UFLEX SeaStar hydraulic steering- single station, single engine
	504 - B	Upgrade steering to UFLEX SeaStar hydraulic steering- single station, dual engines
	504 - C	1500 GPH Rule bilge pump c/w Rule automatic float switch
	504 - D	Marinco Receptacle Combo USB & 12V socket at helm
	504 - E	INSTA-TRIM hydraulic trim tabs, 12" x 8" c/w rocker switch
	504 - F	Compass, Ritchie B-51
	504 - G	Lifetimer two step aluminum fold down ladder & handrail on transom
	504 - H	Garelick removable spline style dive ladder with single attachment & handrail on transom
	504 - I	Anchor locker in bow c/w bollard (replaces cleat) & Lifetimer bow roller
	504 - J	9lb Danforth anchor, 20' (1800) & 25' (2050 & 2200) of 5/16" anchor chain & 200' of 1/2" anchor line
	504 - K	Interior Paint
	504 - L	Exterior Paint

STD = Standard Feature N/A = Not Applicable POR = Priced on Request