

LIFETIMER

Boats

2450 & 2700 Limited Edition



The Lifetimer LE is an excellent day or weekend getaway boat for all of your pleasure needs. The LE model, over our regular runabouts, is a sportier model. Sleek in design, the LE is an eye-catching cruiser great for all your pleasure activities. Both the 2450 and the 2700 have a fully lockable v-berth that makes this model excellent for a day outing, fishing, family excursions or cozy anchoring in secluded bays. It is also excellent for water sports such as skiing, tubing, or wake-boarding. This boat, with our tapered delta-planning hull with reverse chines and sharp bow entry is among the driest, safest and most seaworthy boats on the market today.

Make this boating season the best ever.... own the boat of a lifetime.

LIFETIMER

Boats

Limited Edition Series

2450

2700

		2450	2700
SPECIFICATIONS	Length Overall (including contoured outboard bracket)	24' 6"	27' 0"
	Width Overall	9' 0"	9' 0"
	Side Height	42"	42"
	Bottom Plate	1/4" 5086	1/4" 5086
	Side Plate	3/16" 5052	3/16" 5052
	Maximum HP	225 HP*	300 HP*
	Capacity	8 Person	8 Person
	DESIGN	Deadrise: Variable pitch; transom has a delta with 18 degree up and a 20 degree reverse chine; 55 degree sharp bow entry for a dry, smooth ride in rough water or chop (many other aluminum boats have a 12 degree constant deadrise making them good for lakes or rivers but rough riding and wet for ocean use)	STD
Lifetimer builds to International Standards Organization (ISO) Design Category "C", Beaufort 6 (2m or 72" wave height, 25-31 MPH strong breeze conditions; coastal waters, large bays, estuaries, lakes & rivers) (Many other welded aluminum boats are built to - ISO Design Category "D", Beaufort 4 - 0.5m or 19" wave height, 13-18MPH moderate breeze conditions; sheltered waters, small bays, estuaries, lakes, rivers & canals)		STD	STD
HULL	Modified "V" shape hull	STD	STD
	Contoured outboard bracket	STD	STD
	4" reverse chines	STD	STD
	Lifetimer heavy duty gunwale & chine extrusions	STD	STD
	ABYC approved tinned Ancor wire & electrical fittings	STD	STD
	Foredeck & Coaming	STD	STD
	Lifetimer heavy duty welded bow eye & two (2) stern eyes	STD	STD
	Five (5) 8" heavy duty weld on aluminum cleats	STD	STD
	Transducer bracket with built in wiring chase to inner transom	STD	STD
	Zinc Anode protection	STD	STD
Flotation to Transport Canada TP1332 Requirements	STD	STD	
EQUIPMENT	60 US Gallon (50 Imp Gal- 272 L) ABYC approved cross-linked roto-molded poly, built in fuel tank c/w Racor filter, fill, vent, sender & Faria fuel gauge	STD	N/A
	84 US Gallon (70 Imp Gal- 318 L) ABYC approved cross-linked roto-molded poly, built in fuel tank c/w Racor filter, fill, vent, sender & Faria fuel gauge	Upgrade option	N/A
	100 US Gallon (83 Imp Gal- 377 L) ABYC approved cross-linked roto-molded poly, built in fuel tank c/w Racor filter, fill, vent, sender & Faria fuel gauge	N/A	STD
	Taylormade windswept low profile walk thru windshield	STD	STD
	Single S.S. Ongaro windshield wiper	STD	STD
	Rotech planetary style steering system with Ultraflex wheel	STD	STD
	Cuddy berth c/w bulkhead with weather-resistant lockable door, R12 reflectix insulation, cuddy fuzz hull liner, two dome lights & bunk cushions (8' 0" W x 6' 6" L)	STD	STD
	Marine vinyl flooring	STD	STD
	Blue Sea Systems 6 circuit waterproof breaker panel	STD	STD
	Blue Sea Systems battery switch	STD	STD
Hella port & starboard running lights; all around light	STD	STD	

* High Performance power options available on request

Optional Accessories

<u>HULL</u>	505 - A	Lifetimer heavy duty kicker bracket
	505 - B	Sport model removable tow post
	505 - C	Aluminum low profile bow deck rails
	505 - D	Two (2) Vetus port lights, port and starboard
<u>COCKPIT</u>	506 - A	Aluminum self bailing deck (3/16" plate) c/w two (2) 2" drains (self drains overboard at rest) with Ferrcon non-slip paint
	506 - B	Rod pockets with open top, pair
	506 - C	Rod pockets with lockable top, pair
	506 - D	Locking rear doors on transom c/w Perko locking T-handle (N/A with sun seat option)
	506 - E	Downrigger pads, each
	506 - F	Electric downrigger sockets, under coaming maxi fused to battery, pair (one per side)
<u>CUDDY</u>	507 - A	Aluminum 9" wide shelves in cuddy, one per side, mounted just below cuddy roof with wood trim-each
	507 - B	Lewmar 18" round deck hatch
	507 - C	Trim kit with screen for Lewmar cuddy hatch (367618252)
	507 - D	Raritan PHII compact head installed in cuddy (center) c/w ball valves on water intake & outlet, 10 gallon holding tank, waste deck fitting and macerator pump
	507 - E	Upgrade marine head in cuddy to have bulkhead between berth & head c/w closet on port side
	507 - F	Thetford 260 porta potti c/w 2.6 gallon holding tank
	507 - G	Deluxe sink package to be installed on port side of cuddy c/w 20 gallon fresh water tank, Sureflo 3.4 GPM demand pump, oval sink, faucets, cabinet, counter top, towel bar, all hoses & fittings
<u>SEATS & TOPS</u>	508 - A	Lifetimer aluminum seat box with side loading storage & Locking Perko T-handle (16"L x 16"H x 16"W)- no upholstery
	508 - B	Lifetimer aluminum seat box with side loading storage & Locking Perko T-handle (26"L x 18"H x 16"W)- no upholstery
	508 - C	Bently Highlaker II- large, no arms (uses Lifetimer aluminum seat box with side loading storage & Locking Perko T-handle - sold separately)
	508 - D	Lifetimer aluminum sun seat across inner transom of boat, incl. seat base & transom access w/two (2) gas shocks (no upholstery- sold separately)
	508 - E	Lifetimer upholstery for sun seat, incl. seat base, back & side rests
	508 - F	Wise stationary back to back sleeper seat, large- each
<u>EQUIPMENT</u>	509 - A	84 US Gallon (70 Imp Gal- 318 L) ABYC approved cross linked rotomolded polyethylene built in fuel tank c/w Racor filter, fill, vent, sender & Faria fuel gauge
	509 - B	Upgrade steering to UFLEX SeaStar hydraulic steering- single station, single engine
	509 - C	Upgrade steering to UFLEX SeaStar hydraulic steering- single station, dual engines
	509 - D	1500 GPH Rule bilge pump c/w Rule automatic float switch
	509 - E	Marinco Receptacle Combo USB & 12V socket at helm
	509 - F	INSTA-TRIM hydraulic trim tabs, 12" x 8" c/w rocker switch
	509 - G	Compass, Ritchie B-51
	509 - H	Lifetimer two step aluminum fold down ladder & handrail on transom
	509 - I	Garelick removable spline style dive ladder with single attachment & handrail on transom
	509 - J	Anchor locker in bow c/w bollard (replaces cleat) & Lifetimer bow roller
	509 - K	9lb Danforth anchor, 25' (2450 model)- 27' (2700 model) of 5/16" anchor chain & 200' of 1/2" anchor line
	509 - L	Interior Paint
	509 - M	Exterior Paint

STD = Standard Feature N/A = Not Applicable POR = Priced on Request

Please note all prices are subject to change